

FACSIMILE TRANSMITTAL

October 9, 2003

from **AMY M. MARSHALL**

Direct: 937-223-2050 / Fax: 937-223-0724 / amy.marshall@dinslaw.com

To: Ms. Newman
Firm: US PTO
Fax Number: 703/308-6672
Client Number: INN 0004 PA/40387.5
Pages: 10
(including cover)
Comments: Serial No. 09/402,750
U.S. Patent No. 6,392,863 B1

Pursuant to your request, attached is the Request for Reconsideration filed on January 28, 2003 pertaining to the above-referenced patent.

We look forward to receiving your response in due course.

Thank you – Amy Marshall

If there are any problems in receiving this transmission, please call the Amy Marshall, Legal Secretary at (937) 223-2050 immediately. Thank you.

Notice

This message is intended only for the use of the individuals or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this notice is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this notice in error, please notify us immediately by telephone and return these papers to us at the address below via first class mail.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

U.S. Patent No. : US 6,392,863 B1
Issued : May 21, 2002
Title : BANKNOTE VALIDATOR
Docket No. : INN 0004 PA

Decisions and Certificates for Correction Branch
Assistant Commissioner for Patents
Washington, DC 20231

CERTIFICATE OF MAILING
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Assistant Commissioner for Patents, Washington, D.C. 20231, on January 28, 2003.


Susan M. Luna, Patent Agent Reg. No. 38,769


Sir:

REQUEST FOR RECONSIDERATION

Applicants hereby submit a request for reconsideration regarding the request for certificate of correction (copy enclosed) originally filed September 16, 2002. Applicants received a letter (copy enclosed) dated November 26, 2002 indicating that the alleged error in the Abstract should be not considered because the abstract is not in paragraph form.

Accordingly, applicants are submitting herewith a new request for Certification of Correction which includes the Abstract in paragraph form. The errors in the Abstract occurred during the printing of the patent and, therefore, no fee is due. Two (2) copies of the required Certificate of Correction Form PTO/SB/44 are enclosed.

Respectfully submitted,
KILLWORTH, GOTTMAN, HAGAN
& SCHAEFF, L.L.P.

By 
Susan M. Luna
Registration No. 38,769

One Dayton Centre
One South Main St., Suite 500
Dayton, Ohio 45402-2023
Telephone: (937) 223-2050
Facsimile: (937) 223-0724

SML/amm
Encls.

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0851-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,392,863 B1

DATED : May 21, 2002

INVENTOR(S) : Peter Dunlop, Kevin Ashurst

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

The abstract should read as follows:

(57) ABSTRACT

--A banknote validator includes magnetic and optical sensors (305, 306, 307) and a non-return gate in its banknote path (80).

The magnetic sensor (307) comprises a magnetic circuit and an electronic circuit. The magnetic circuit comprising a yoke (402) and two giant magneto-resistors (400, 401) and the electronic circuit comprises a coil (407) arranged to generate a magnetic field in the yoke (402) and first and second feedback control loops. The first loop is responsive to the output of the first giant magneto-resistor (400) to energise the coil (407) so that the giant magneto-resistor operates in a predetermined region of its characteristic. The second loop is responsive to the differential between the giant-magneto-resistor outputs to generate a bias voltage for the second giant-magneto-resistor (401) tending to cause the differential to be zero.

The optical sensor (305,306) comprises a trapezoidal light guide (34, 104), a broadband light source (350) for illuminating a banknote via the light guide (34, 104) and sensors (351, 352, 353) for detecting light reflected from the banknote via the light guide (34, 104). Filters (354, 355, 356) are arranged in front of the sensors (351, 352, 353). The light guide (34,104) is inclined relative to the banknote path (6).

The non-return gate (80) does not need to be actively driven but falls when a banknote has passed and, when the banknote's direction of travel is reversed, guides the banknote along an accept path. If the banknote has not fully passed the non-return gate (80) when its direction is reversed, it is driven back to the validator's note insertion slot--.

MAILING ADDRESS OF SENDER: Killworth, Gottman, Hagan & Schaeff LLP
One Dayton Centre
One South Main Street, Suite 500
Dayton, Ohio 45402-2023

PATENT NO. 6,392,863 B1

No. of additional copies

➡ 1 of 1

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0651-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,392,863 B1

DATED : May 21, 2002

INVENTOR(S) : Peter Dunlop, Kevin Ashurst

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

The abstract should read as follows:

(57) ABSTRACT

--A banknote validator includes magnetic and optical sensors (305, 306, 307) and a non-return gate in its banknote path (80).

The magnetic sensor (307) comprises a magnetic circuit and an electronic circuit. The magnetic circuit comprising a yoke (402) and two giant magneto-resistors (400, 401) and the electronic circuit comprises a coil (407) arranged to generate a magnetic field in the yoke (402) and first and second feedback control loops. The first loop is responsive to the output of the first giant magneto-resistor (400) to energise the coil (407) so that the giant magneto-resistor operates in a predetermined region of its characteristic. The second loop is responsive to the differential between the giant-magneto-resistor outputs to generate a bias voltage for the second giant-magneto-resistor (401) tending to cause the differential to be zero.

The optical sensor (305,306) comprises a trapezoidal light guide (34, 104), a broadband light source (350) for illuminating a banknote via the light guide (34, 104) and sensors (351, 352, 353) for detecting light reflected from the banknote via the light guide (34, 104). Filters (354, 355, 356) are arranged in front of the sensors (351, 352, 353). The light guide (34,104) is inclined relative to the banknote path (6).

The non-return gate (80) does not need to be actively driven but falls when a banknote has passed and, when the banknote's direction of travel is reversed, guides the banknote along an accept path. If the banknote has not fully passed the non-return gate (80) when its direction is reversed, it is driven back to the validator's note insertion slot.--

MAILING ADDRESS OF SENDER: Killworth, Gottman, Hagan & Schaeff LLP
One Dayton Centre
One South Main Street, Suite 500
Dayton, Ohio 45402-2023

PATENT NO. 6,392,863 B1

No. of additional copies

 1 of 1

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

U.S. Patent No. : US 6,392,863 B1
Issued : May 21, 2002
Title : BANKNOTE VALIDATOR
Docket No. : INN 0004 PA

Commissioner for Patents
Certificate of Correction Branch
Washington, DC 20231

CERTIFICATE OF MAILING
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231, on September 16, 2002


Susan M. Luna, Patent Agent Reg. No. 38,769

Sir:


REQUEST FOR CERTIFICATE OF CORRECTION FOR PTO MISTAKE
UNDER 35 U.S.C. 254 and 37 C.F.R. 1.322

In the matter of U.S. Patent No. 6,392,863 B1, it is respectfully requested that a Certificate of Correction be issued to cover the following errors on the attached Certificate of Correction (PTO/SB/44) which occurred in the printing of the patent.

REMARKS

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent. All of the errors occurred during the printing of the patent and, therefore, no fee is due. Two (2) copies of the required Certificate of Correction Form PTO/SB/44 are enclosed.

Respectfully submitted,
KILLWORTH, GOTTMAN, HAGAN
& SCHAEFF, L.L.P.

By 
Susan M. Luna
Registration No. 38,769

One Dayton Centre
One South Main St., Suite 500
Dayton, Ohio 45402-2023
Telephone: (937) 223-2050
Facsimile: (937) 223-0724

SML/amm
Encl.

COPY

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0851-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,392,863 B1

DATED : May 21, 2002

INVENTOR(S) : Peter Dunlop, Kevin Ashurst

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(57) ABSTRACT

The abstract should read as follows:

--A banknote validator includes magnetic and optical sensors (305, 306, 307) and a non-return gate in its banknote path (80).

The magnetic sensor (307) comprises a magnetic circuit and an electronic circuit. The magnetic circuit comprising a yoke (402) and two giant magneto-resistors (400, 401) and the electronic circuit comprises a coil (407) arranged to generate a magnetic field in the yoke (402) and first and second feedback control loops. The first loop is responsive to the output of the first giant magneto-resistor (400) to energise the coil (407) so that the giant magneto-resistor operates in a predetermined region of its characteristic. The second loop is responsive to the differential between the giant-magneto-resistor outputs to generate a bias voltage for the second giant-magneto-resistor (401) tending to cause the differential to be zero.

The optical sensor (305,306) comprises a trapezoidal light guide (34, 104), a broadband light source (350) for illuminating a banknote via the light guide (34, 104) and sensors (351, 352, 353) for detecting light reflected from the banknote via the light guide (34, 104). Filters (354, 355, 356) are arranged in front of the sensors (351, 352, 353). The light guide (34,104) is inclined relative to the banknote path (6).

The non-return gate (80) does not need to be actively driven but falls when a banknote has passed and, when the banknote's direction of travel is reversed, guides the banknote along an accept path. If the banknote has not fully passed the non-return gate (80) when its direction is reversed, it is driven back to the validator's note insertion slot.--;

Col. 1, after the title, insert the following --The present invention relates to a banknote validator.--;

Col. 1, line 13, "have been used" should be --have been used--;

Col. 5, line 27, "front wall 17a" should be --front wall 17d--;

Col. 5, line 45, "bowed to flat" should be --bowed to flat--;

MAILING ADDRESS OF SENDER: Killworth, Gottman, Hagan & Schaeff LLP
One Dayton Centre
One South Main Street, Suite 500
Dayton, Ohio 45402-2023

PATENT NO. 6,392,863 B1

No. of additional copies



1 of 2

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0651-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1030)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,392,863 B1

DATED : May 21, 2002

INVENTOR(S) : Peter Dunlop, Kevin Ashurst

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 6, line 7, "A first tired wheel" should be --A first tyred wheel--;
Col. 6, line 8, "and a second tired wheel 43" should be --and a second tyred wheel 43--;
Col. 6, line 10, "second tired wheels 42, 43" should be --second tyred wheels 42, 43--;
Col. 6, line 13, "second tired wheels 42, 43" should be --second tyred wheels 42, 43--;
Col. 6, line 32, "Third and fourth tired wheels" should be --Third and fourth tyred wheels--;
Col. 6, line 33, "first and second tired wheels 42, 43" should be --first and second tyred wheels 42, 43--;
Col. 6, line 34, "third and fourth tired wheels 50, 51" should be --third and fourth tyred wheels 50, 51--;
Col. 6, line 63, "third and fourth tired wheels 50, 51." should be --third and fourth tyred wheels 50, 51.--;
Col. 7, line 45, "A fifth tired wheel 88" should be --A fifth tyred wheel 88--;
Col. 7, line 48, "A sixth tired wheel 89" should be --A sixth tyred wheel 89--;
Col. 7, line 51, "with the sixth tired wheel 89" should be --with the sixth tyred wheel 89--;
Col. 7, line 53, "The sixth tired wheel 89" should be --The sixth tyred wheel 89--;
Col. 7, line 58, "The fifth tired wheel 88" should be --The fifth tyred wheel 88--;
Col. 8, line 13, "second tired wheels 42, 43." should be --second tyred wheels 42, 43.--;
Col. 9, line 33, "is also fed to the" should be --is also fed to the--;
Col. 11, line 6, "second tired wheels 42, 43," should be --second tyred wheels 42, 43.--;
Col. 11, line 9, "second tired wheels 42, 43" should be --second tyred wheels 42, 43--;
Col. 11, line 10, "sixth tired wheels 88, 89," should be --sixth tyred wheels 88, 89.--;
Col. 11, line 11, "second tired wheels 42, 43." should be --second tyred wheels 42, 43.--;
Col. 11, line 30, "according to the following algorithms" should be --according to stored algorithms--;
Col. 11, line 36, "fourth tired wheels 50, 51" should be --fourth tyred wheels 50, 51--;
Col. 11, line 48, "fourth tired wheels 50, 51" should be --fourth tyred wheels 50, 51--;
Col. 11, line 61, "The fifth tired wheel 88" should be --The fifth tyred wheel 88--;
Col. 12, line 1, "the first tired wheel 42," should be --the first tyred wheel 42.--; and
Col. 12, line 50, "A banknote validator according to any one of claim 1," should be --A banknote validator according to claim 1.--.

MAILING ADDRESS OF SENDER: Killworth, Gottman, Hagan & Schaeff LLP
One Dayton Centre
One South Main Street, Suite 500
Dayton, Ohio 45402-2023

PATENT NO. 6,392,863 B1

No. of additional copies

 2 of 2

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/44 (02-01)

Approved for use through 01/31/2004, OMB 0651-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,392,863 B1

DATED : May 21, 2002

INVENTOR(S) : Peter Dunlop, Kevin Ashurst

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(57) **ABSTRACT**

The abstract should read as follows:

--A banknote validator includes magnetic and optical sensors (305, 306, 307) and a non-return gate in its banknote path (80).

The magnetic sensor (307) comprises a magnetic circuit and an electronic circuit. The magnetic circuit comprising a yoke (402) and two giant magneto-resistors (400, 401) and the electronic circuit comprises a coil (407) arranged to generate a magnetic field in the yoke (402) and first and second feedback control loops. The first loop is responsive to the output of the first giant magneto-resistor (400) to energise the coil (407) so that the giant magneto-resistor operates in a predetermined region of its characteristic. The second loop is responsive to the differential between the giant-magneto-resistor outputs to generate a bias voltage for the second giant-magneto-resistor (401) tending to cause the differential to be zero.

The optical sensor (305,306) comprises a trapezoidal light guide (34, 104), a broadband light source (350) for illuminating a banknote via the light guide (34, 104) and sensors (351, 352, 353) for detecting light reflected from the banknote via the light guide (34, 104). Filters (354, 355, 356) are arranged in front of the sensors (351, 352, 353). The light guide (34,104) is inclined relative to the banknote path (6).

The non-return gate (80) does not need to be actively driven but falls when a banknote has passed and, when the banknote's direction of travel is reversed, guides the banknote along an accept path. If the banknote has not fully passed the non-return gate (80) when its direction is reversed, it is driven back to the validator's note insertion slot.--;

Col. 1, after the title, insert the following --The present invention relates to a banknote validator.--;

Col. 1, line 13, "have be en used" should be --have been used--;

Col. 5, line 27, "front wall 17ad" should be --front wall 17d--;

Col. 5, line 45, "bowed toflat" should be --bowed to flat--;

MAILING ADDRESS OF SENDER: Killworth, Gottman, Hagan & Schaeff LLP
One Dayton Centre
One South Main Street, Suite 500
Dayton, Ohio 45402-2023

PATENT NO. 6,392,863 B1

No. of additional copies

➡ 1 of 2

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0851-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,392,863 B1

DATED : May 21, 2002

INVENTOR(S) : Peter Dunlop, Kevin Ashurst

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 6, line 7, "A first tired wheel" should be --A first tyred wheel--;
 Col. 6, line 8, "and a second tired wheel 43" should be --and a second tyred wheel 43--;
 Col. 6, line 10, "second tired wheels 42, 43" should be --second tyred wheels 42, 43--;
 Col. 6, line 13, "second tired wheels 42, 43" should be --second tyred wheels 42, 43--;
 Col. 6, line 32, "Third and fourth tired wheels" should be --Third and fourth tyred wheels--;
 Col. 6, line 33, "first and second tired wheels 42, 43" should be --first and second tyred wheels 42, 43--;
 Col. 6, line 34, "third and fourth tired wheels 50, 51" should be --third and fourth tyred wheels 50, 51--;
 Col. 6, line 63, "third and fourth tired wheels 50, 51." should be --third and fourth tyred wheels 50, 51.--;
 Col. 7, line 45, "A fifth tired wheel 88" should be --A fifth tyred wheel 88--;
 Col. 7, line 48, "A sixth tired wheel 89" should be --A sixth tyred wheel 89--;
 Col. 7, line 51, "with the sixth tired wheel 89" should be --with the sixth tyred wheel 89--;
 Col. 7, line 53, "The sixth tired wheel 89" should be --The sixth tyred wheel 89--;
 Col. 7, line 58, "The fifth tired wheel 88" should be --The fifth tyred wheel 88--;
 Col. 8, line 13, "second tired wheels 42, 43." should be --second tyred wheels 42, 43.--;
 Col. 9, line 33, "is also fed to the" should be --is also fed to the--;
 Col. 11, line 6, "second tired wheels 42, 43," should be --second tyred wheels 42, 43.--;
 Col. 11, line 9, "second tired wheels 42, 43" should be --second tyred wheels 42, 43--;
 Col. 11, line 10, "sixth tired wheels 88, 89," should be --sixth tyred wheels 88, 89.--;
 Col. 11, line 11, "second tired wheels 42, 43." should be --second tyred wheels 42, 43.--;
 Col. 11, line 30, "according to the following algorithms" should be --according to stored algorithms--;
 Col. 11, line 36, "fourth tired wheels 50, 51" should be --fourth tyred wheels 50, 51--;
 Col. 11, line 48, "fourth tired wheels 50, 51" should be --fourth tyred wheels 50, 51--;
 Col. 11, line 61, "The fifth tired wheel 88" should be --The fifth tyred wheel 88--;
 Col. 12, line 1, "the first tired wheel 42," should be --the first tyred wheel 42.--; and
 Col. 12, line 50, "A banknote validator according to any one of claim 1," should be --A banknote validator according to claim 1.--.

MAILING ADDRESS OF SENDER: Killworth, Gottman, Hagan & Schaeff LLP
 One Dayton Centre
 One South Main Street, Suite 500
 Dayton, Ohio 45402-2023

PATENT NO. 6,392,863 B1

No. of additional copies

 2 of 2

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

SML



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

INNOV4PA

November 26, 2002

RECEIVED
DEC 07 2002DOCKETED
DEC 07 2002

Patent No : 6,392,863
Inventor : Peter Dunlop, Kevin Ashurst
Issued : May 21, 2002

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rules 1.322.

Respecting, the alleged error in the Abstract should not be considered because the abstract is not in paragraph form. Therefore, no correction(s) is in order here under United States Codes (U.S.C.) 254 and the Code of Federal Regulation(C.F.R.) 1.322.

In view of the foregoing, your request in this matter is hereby denied.

A certificate of correction will issue to correct the remaining error noted in your request.

Further correspondence concerning this matter should be filed and directed to Decisions and Certificates of Correction Branch.

Mary F. Diggs
Cecelia Newman, Supervisor
Decisions and Certificate of Correction
(703) 305-8309 or 305-8793

KILLWORTH, GOTTMAN, HAGAN & SCHAEFF LLP
ONE DAYTON CENTRE
ONE SOUTH MAIN STREET, STE. 500
DAYTON, OH 45402-2023

COPY



Full Text

Go to Page:

 Go

Sections:

- [Front Page](#)
- [Drawings](#)
- [Specifications](#)
- [Claims](#)
- [Correction](#)

Patent Number: 06392863

Section: Correction 22 of 23 pages

[Main](#)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,392,863 B1
DATED : May 21, 2002
INVENTOR(S) : Peter Dunlop and Kevin Ashurst

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1,

After the title, insert the following -- The present invention relates to a banknote validator. --;

Line 13, "have be en used" should be -- have been used --;

Column 5,

Line 27, "front wall 17ad" should be -- front wall 17d --;

Line 45, "bowed toflat" should be -- bowed to flat --;

Column 6,

Line 7, "A first tired wheel" should be -- A first tyred wheel --;

Line 8, "and a second tired wheels 43" should be -- and a second tyred wheel 43 --;

Lines 10 and 13, "second tired wheels 42, 43" should be -- second tyred wheels 42, 43 --;

Line 32, "Third and fourth tired wheels" should be -- Third and fourth tyred wheels --;

Line 33, "first and second tired wheels 42, 43" should be -- first and second tyred wheels 42, 43 --;

Line 34, "third and fourth tired wheels 50, 51" should be -- third and fourth tyred wheels 50, 51 --;

Line 63, "third and fourth tired wheels 50, 51." should be -- third and fourth tyred wheels 50, 51. --;

Column 7,

Line 45, "A fifth tired wheel 88" should be -- A fifth tyred wheel 88 --;

Line 48, "A sixth tired wheel 89" should be -- A sixth tyred wheel 89 --;

Line 51, "with the sixth tired wheel 89" should be -- with the sixth tyred wheel 89 --;

Line 53, "The sixth tired wheel 89" should be -- The sixth tyred wheel 89 --;

Line 58, "The fifth tired wheel 88" should be -- The fifth tyred wheel 88 --;

Column 8,

Line 13, "second tired wheel 42, 43." should be -- second tyred wheels 42, 43. --;

Column 9,

Line 33, "is alsofed to the" should be -- is also fed to the --;

Column 11,

Line 6, "second tired wheels 42, 43," should be -- second tyred wheels 42, 43, --;

Line 9, "second tired wheels 42, 43" should be -- second tyred wheels 42, 43 --;

Line 10, "sixth tired wheels 88, 89," should be -- sixth tyred wheels 88, 89, --;

Line 11, "second tired wheels 42, 43." should be -- second tyred wheels 42, 43. --;



^ Full Text

Go to Page:

 Go

Sections:

- Front Page
- Drawings
- Specifications
- Claims
- Correction

Patent Number: 06392863

Section: Correction 23 of 23 pages

Help

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,392,863 B1
DATED : May 21, 2002
INVENTOR(S) : Peter Dunlop and Kevin Ashurst

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 11 cont'd.

Line 30, "according to the following algorithms" should be -- according to stored algorithms --;

Lines 36 and 48, "fourth tired wheels 50, 51" should be -- fourth tyred wheels 50, 51 --;

Line 61, "The fifth tired wheel 88" should be -- The fifth tyred wheel 88 --;

Column 12.

Line 1, "the first tired wheel 42," should be -- the first tyred wheel 42, --; and

Line 50, "A banknote validator according to any one of claim 1," should be -- A banknote validator according to claim 1, --.

Signed and Sealed this

Seventh Day of January, 2003

JAMES E. ROGAN
Director of the United States Patent and Trademark Office